




Doran Scales, Inc.

Atlas Series Scales


Doran Atlas Scales are rugged, one piece stainless steel scales, offered in 14", 20", or 30" high Atlas columns. Choose any Doran Indicator and one of our 6 base sizes to create a superior washdown scale just right for your task.

Features:


- Atlas Column available in 14", 20", or 30" Heights.
- 304 Stainless Steel Construction
- The open back design of the 6" wide column prevents the collection of water or debris.
- Two adjustable feet provide column support in addition to the four feet on the scale base.
- "Quad Spring" Shock Absorbing Design (Base Sizes 10" x 10" - 18" x 18")
- Legal For Trade (NTEP):
Base Sizes 10" x 10" to 18" x 18" Class III 5000d
Base Sizes 18" x 24" & 18" x 24" Class III 3000d



14" Atlas Column



20" Atlas Column




30" Atlas Column

Washdown Safe Indicators

- 8000XLM - Internal Rechargeable Battery Power
- 7000XLM - General Purpose Indicator
- 7000M - Single Pushbutton Operation for Harsh Washdown Applications
- 4300M - Checkweighing Capability
- 9000XLMIS - Intrinsically Safe

Atlas Scale Series Dimensions:

Column Height	Base Size	Top of Platter to Readout (A)	Total Scale Depth (B)	Depth From Back Edge of Platter to Front of Column (C)	Capacities Available (lb)
14"	10" x 10"	14.5"	14.25"	1.75"	2, 5, 10, 25 or 50
14"	12" x 12"	13.25"	16.5"	2"	50 or 100
14"	15" x 15"	13"	19.25"	1 - 3/4"	50, 100 or 200
20"	15" x 15"	21.75"	21"	3.5"	50, 100 or 200
20"	18" x 18"	20.5"	24"	3.25"	50, 100, 150 or 300
20"	18" x 24"	20"	23.25"	2.25"	60, 150, 300, 500 or 1000
20"	24" x 24"	20"	29.25"	2.25"	60, 150, 300, 500 or 1000
30"	15" x 15"	31.75"	21"	3.5"	50, 100 or 200
30"	18" x 18"	30.5"	24"	3.25"	50, 100, 150 or 300
30"	18" x 24"	30"	23.25"	2.25"	60, 150, 300, 500 or 1000
30"	24" x 24"	30"	29.25"	2.25"	60, 150, 300, 500 or 1000



Doran Scales, Inc.

1315 Paramount Parkway, Batavia, IL 60510 1-800-262-6844 • Fax (630) 879-0073 • www.doranscales.com

doron

8000XL

10000g Bench Scale
Battery Power



8000XL Features...

- Battery Lasts 60 Hours before Recharging
- Washdown Safe "Guardian" Case & Touchpanel
- Bright LED Displays Weight in lb/kg/g/oz/lb&oz
- 1000% Overload "Quad Spring" Base
- Indicator and Base Available Separately

Engineered for a lifetime
of weighing performance



Model 8000XL Battery Power Bench Scale

The Portable Stainless Steel Washdown Scale

Doran has manufactured Stainless Steel Washdown Scales in the U.S. since 1976, and now introduces the most durable battery powered scale in the industry - the 8000XL. Designed with over two decades of scale know-how, the 8000XL is ideal for use in portion control, food processing and general purpose weighing.

► Over 60 Hours of Battery Life

An internal battery and charger provides a simple to maintain scale system that can fully charge the battery in four hours, **even while in use**. The user configurable Auto Shutoff timer can extend battery life to weeks.

► 1000% Overload DXL Base

1000% overload - that's **twice** as much as our closest competition. Protected to a maximum of 10 times the base load rating sets the new industry standard - a feature only available from Doran.

► Washdown Safe

The easy to clean stainless steel 8000XL provides NEMA 4X washdown protection through superior gasketing and a thick stainless steel enclosure to seal the electronics from harsh environments. The sealed, super tough "Guardian" touchpanel resists puncture damage.

► Ease of Operation

The 8000XL features an easy to read, bright LED display. Simple controls - Zero, Units, and Print - make it easy to use, quick to train and prevents operator error.

Meter Only - Model 8000XLM

The 8000XLM is a stand-alone indicator for use with your current base or floor scale, or any Doran base. With 10,000d NTEP performance, the 8000XLM will soon become your preferred scale indicator



Model 8000XL with a 10" x 10" base and optional 14" high Atlas column.

SPECIFICATIONS

Display:	6 digit red LED, 0.56" high
Controls:	ZERO, Units, and Print
Output:	Bi-directional RS-232 standard
Power:	Internal Battery & Charger 115/230VAC 50/60 Hz
Units:	lb, kg, g, oz, lb & oz
Construction:	304 Stainless Steel (Meter:16 Gauge) (Base:7 Gauge Maximum)
Dimensions:	(Meter) 6" h x 10" w x 3" d (Base) 10" x 10" x 2"h; 12" x 12" x 3"h; 15" x 15" x 3"h
NTEP:	(Meter) CC#99-129 10,000d, Class III (Base) CC#97-097 5000d, Class III
Warranty:	Two Years Parts & Labor
Options:	230VAC Operation 14", 22", or 30" Atlas Column Stainless Steel Load Cell 4-20 mA Analog Output

MODEL SELECTION CHART

Model No.	Base Size	Capacity	
		lb	kg
8005XL	10" x 10"	5 x 0.001	2.3 x 0.5g
8010XL		10 x 0.002	4.5 x 1g
8025XL		25 x 0.005	11.3 x 2g
8050XL	12" x 12"	50 x 0.01	22.7 x 5g
8050XL/12S		50 x 0.01	22.7 x 5g
8100XL/12S		100 x 0.02	45 x 10g
8050XL/15S	15" x 15"	50 x 0.01	22.7 x 5g
8100XL/15S		100 x 0.02	45 x 10g
8200XL/15S		200 x 0.05	91 x 20g

(10,000d resolution user selectable)

Your Local Doran Distributor:



Doran Scales, Inc.

1315 Paramount Pkwy • Batavia, Illinois 60510
1-800-262-6844 • Fax 630-879-0073
www.doranscales.com